

To: DeFao, Joseph[Joe.DeFao@WestonSolutions.com]
From: Albizu, Ramon
Sent: Mon 8/10/2015 3:29:25 PM
Subject: RE: Gold King Mine ER Region 9 CPW draft

Ok. Safe flight!

From: DeFao, Joseph [mailto:Joe.DeFao@WestonSolutions.com]
Sent: Monday, August 10, 2015 8:28 AM
To: Albizu, Ramon
Subject: Re: Gold King Mine ER Region 9 CPW draft

Thanks Ramon. I'm getting on a flight to ABQ, so I may be out of phone reach for a few hours. I'm hoping to have internet connection though.

-Joe

Joe DeFao

Program Manager

Weston Solutions, Inc.

1340 Treat Blvd.

Suite 210

Walnut Creek, CA 94597

Office: (925) 948-2677

Mobile: (925) 212-3101

On Aug 10, 2015, at 8:25 AM, Albizu, Ramon <Albizu.Ramon@epa.gov> wrote:

Thanks Joe. Until then, I'm increase the ER TDD ceiling.

Ramon D. Albizu, START 4 PO (Contract-Level COR) / RTFL

Emergency Response Preparedness and Prevention Branch
Superfund Division | U.S. Environmental Protection Agency, Region IX (SFD-9-4)
75 Hawthorne Street | San Francisco, CA 94105
albizu.ramon@epa.gov | (415) 972-3091

Mobile (415) 515-9569

From: DeFao, Joseph [<mailto:Joe.DeFao@WestonSolutions.com>]
Sent: Monday, August 10, 2015 8:23 AM
To: Guria, Peter; Albizu, Ramon; Nattis, Randy
Subject: Fwd: Gold King Mine ER Region 9 CPW draft

Hi All,

The CPW was sent to Rob yesterday for his review. We will coordinate any changes with him. Let me know if you need anything else in the meantime. Thanks.

-Joe

Joe DeFao

Program Manager

Weston Solutions, Inc.

1340 Treat Blvd.

Suite 210

Walnut Creek, CA 94597

Office: (925) 948-2677

Mobile: (925) 212-3101

Begin forwarded message:

From: "Castellana, Ben" <Ben.Castellana@WestonSolutions.com>
Date: August 9, 2015 at 10:07:22 PM PDT
To: "wise.robert@epa.gov" <wise.robert@epa.gov>
Cc: "DeFao, Joseph" <Joe.DeFao@WestonSolutions.com>, "DeHoyos, Melissa" <Melissa.DeHoyos@WestonSolutions.com>, "Mehl, Richard H." <Rick.Mehl@WestonSolutions.com>, "Colomb, Jonathan" <Jonathan.Colomb@WestonSolutions.com>
Subject: Gold King Mine ER Region 9 CPW draft

Hi Rob,

Here is the Cost Projection Worksheet you requested. Based on our discussions, the Scope of Work is:

EPA OSC Robert Wise has tasked the START to respond to a threat to Waters of the United States on the Navajo Nation due to a catastrophic acid mine drainage release from the Gold King Mine near Durango, Colorado. The affected water body is the San Juan River in the vicinity of Farmington NM. The START will provide at least six field persons to conduct surface water sampling and provide technical assistance to the EPA and Navajo EPA. In addition, the START will provide database and mapping support for all screening and sampling activities. The START will provide screening and laboratory analytical for multiple environmental media, including surface water and sediments. The current contaminants of concern are metals. This estimate assumes 50 water samples collected for metals - filtered and unfiltered (100 total), as well as approximately 50 sediment samples for metals, and possibly other analytes as needed. The START will provide data validation for all laboratory analyses performed under the START contract. The estimated time frame for response activities is two weeks for six STARTs, followed by two additional weeks of two STARTs on site to conduct follow-up sampling.

Please contact me at your earliest convenience to discuss any changes to the Scope and/or timeframe you need to finalize this TDD.

Thank you,

Ben Castellana Ph.D.

Project Manager

Weston Solutions, Inc.

(818) 371-5388

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.